Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	94	("4897782" "4975830" "5247638" "5444829" "5479210" "5600770" "5893139" "5937191" "6286135" "6327598" "6085234" "5313612" "5835942" "6038659" "6122629" "5297265" "5307506" "5355453" "5542059" "5557763" "5574912" "5623700" "5659782" "5682527" "5754888" "5784630" "5802366" "5809543" "5809527" "5826021" "5832235" "5887183" "5931918" "5946690" "5944816" "5968160" "5987254" "5987593" "6047356" "6154828" "6167446" "6230254" "4598357" "4962451" "4982322" "5226169" "5235690" H001291 "5313613" "5329630").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:22
S2	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 13:46
S3	836644	form$1 with process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S4	161302	form$1 adj5 process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S5	276631	form$1 near3 process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S6	18256	S5 and (field$1 and predetermin$3 and overla$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:17
S7	1352	S5 and (field$1 and predetermin$3 and overla$4 and server$1 and client$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:17

S8	1004	S5 and (field$1 and predetermin$3 and overla$4 and server$1 and client$1 and (web or html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:18
S9	619	S8 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25
S10	2	S9 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:18
S11	2286	(715/513).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:19
S12	246	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S13	137	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S14	321	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S15	108	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S16	2904	S11 S12 S13 S14 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S17	8	S9 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25

S18	659	S12 S13 S14 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25
S19	523	S18 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:37
S20	2	S9 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:26
S21	1140	S9 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:26
S22	137	S19 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:37
S23	29	S19 and ((fill$3 or populat$3) near5 templat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:19
S24	2	("6084585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:20
S25	2	("6507854").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:21
S26	2	("6212552").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:22
S27	2	("5030810").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:22

S28	2	("5619708").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:23
S29	2	("5557723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:24
S30	2	("5544285").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:24
S31	2	("6141659").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:26
S32	2	("6418400").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:26
S33	2	"20050041266"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:27
S34	2	"20010050681"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:28
S35	4	"20030009250"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:28
S36	0	"200210065578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:29
S37	2	"20020065578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:31

S38	2	("5765142").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:32
S39	2	("5056029").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:32
S40	223	(715/705).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:59
S41	161	S40 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S42	26	S41 and URL$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S43	19	S42 and (external$2 or remot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:01
S44	9	S42 and ((external$2 or remot$3) same (file$1 or content$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:02
S45	0	S44 and (place adj hold$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:03
S46	3	S44 and (templat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:29
S47	2	("4636174").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:30

S48	2	("4759717").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:33
S49	3	("4004354").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:33
S50	18	("4133034" | "4247106" | "4348744" | "4365297").PN. OR ("4636174").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 11:33
S51	27	("4004354").URPN.	USPAT	OR	OFF	2005/10/24 11:34
S52	0	S51 and URL$1	USPAT	OR	OFF	2005/10/24 12:31
S53	2	("6084585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:32
S54	164034	(field$1 with form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
S55	288	(field$1 with (web near form$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
S56	46	(populat$3 or fill$3) with ((field$1 with (web near form$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:35
S57	30	S56 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:02
S58	5	S57 and ((external$2 or network$3) near (data$1 or file$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:37
S59	8	S57 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:41

S60	11	S57 and histor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:02
S61	237186	(populat$3 or (fill$3 adj in) or (fill$3 adj out) or complet$3) with (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:18
S62	2645	(populat$3 or (fill$3 adj in) or (fill$3 adj out) or complet$3) with ((web or html) near5 form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:18
S63	82	((populat$3 or (fill$3 adj in) or (fill$3 adj out) or complet$3) with ((web or html) near5 form$1)) with (url$1 or external near5 (file$1 or reference$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:26
S64	56	S63 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:26
S65	18	(US-20010050681-$ or US-20020023108-$ or US-20020059425-$ or US-20020103826-$ or US-20020111961-$).did. or (US-5784562-$ or US-5835712-$ or US-5890175-$ or US-5929849-$ or US-6061694-$ or US-6260039-$ or US-6456303-$ or US-6589290-$ or US-6662340-$ or US-6732331-$ or US-6760748-$ or US-6879965-$ or US-6886136-$).did.	US-PGPUB; USPAT	OR	OFF	2005/11/01 08:01
S66	16	S65 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:03
S67	10	S65 and templat$3 and populat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:04
S68	8	S65 and templat$3 and populat$3 and (imag$3 or photograph$1 or photo$1 or picture$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:20

S69	0	("2002/0103826").URPN.	USPAT	OR	OFF	2005/11/01 08:18
S70	50295	(complet$3 or populat$3) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:40
S71	219	(complet$3 or populat$3) near ((web or html) near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:22
S72	70	S71 and ((data$1 or content$1 or link$3) near (file$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:23
S73	78	S71 and ((data$1 or content$1 or link$3) near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:28
S74	28	S71 and ((URL$1 or link$1 or hyperlink$3) near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S75	87	S71 and ((data$1 or content$1 or link$3 or configurat$3 or profil$3) near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S76	27	S75 and ((URL$1 or link$1 or hyperlink$3) near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S77	2840	S70 and ((data$1 or content$1 or link$3 or configurat$3 or profil$3) near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:30
S78	87	S71 and ((data$1 or content$1 or link$3 or configurat$3 or profil$3) near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:37
S79	60	S78 and ((fill$3 near (in$1 or out$1)) or populat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:38

S80	14	(url$1 or hyperlink$3) near (complet$3 or populat$3 or (fill$3 near (in or out))) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S81	69	(url$1 or hyperlink$3) near5 (complet$3 or populat$3 or (fill$3 near (in or out))) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S82	41	(url$1 or hyperlink$3) near3 (complet$3 or populat$3 or (fill$3 near (in or out))) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S83	14	S80 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S84	45	S81 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:01
S85	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:59
S86	57	("5416508" | "5418576" | "5438355" | "5570295" | "5572643" | "5625781" | "5640193" | "5694163" | "5708845" | "5761606" | "5774664").PN. OR ("5929849"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:01
S87	57	S86 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S88	50	S87 and form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:01
S89	1	S87 and ((complet$3 or populat$3 or (fill$3 near (in or out))) near (form$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02

S90	2	S87 and ((complet$3 or populat$3 or (fill$3 near (in or out))) near5 (form$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S91	247	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S92	139	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S93	323	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S94	109	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S95	497	S92 S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S96	412	S95 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S97	163	S96 and ((complet$3 or populat$3 or (fill$3 near (in or out))) near5 (form$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S98	105151	(form$1 same field$1) and (overlay$3 or fill$3 or (fill$3 near out$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S99	17390	(form$1 same field$1) same (overlay$3 or fill$3 or (fill$3 near out$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36

S10 0	18659	(form$1 same field$1) same ((overlay$3 or fill$3 or (fill$3 near out$1)) url$1 or uri$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S10 1	181	(form$1 same field$1) near ((overlay$3 or fill$3 or (fill$3 near out$1)) url$1 or uri$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:38
S10 2	0	(form$1 same field$1) near ((overlay$3 or fill$3 or (fill$3 near out$1)) same (url$1 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:38
S10 3	6	(form$1 same field$1) near5 ((overlay$3 or fill$3 or (fill$3 near out$1)) same (url$1 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:44
S10 4	31043	(form$1 or field$1) near (fill$3 or overlay$3 or (fill$3 near out$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:45
S10 5	180	(web near (form$1 or field$1)) near (fill$3 or overlay$3 or (fill$3 near out$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:47
S10 6	0	((web near (form$1 or field$1)) near (fill$3 or overlay$3 or (fill$3 near out$1))) with (external$2 near (file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 7	0	((web near (form$1 or field$1)) near (fill$3 or overlay$3 or (fill$3 near out$1))) same (external$2 near (file$1 or url$1 referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 8	0	((web near (form$1 or field$1)) near5 (fill$3 or overlay$3 or (fill$3 near out$1))) same (external$2 near (file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 9	0	((web near (form$1 or field$1)) with (fill$3 or overlay$3 or (fill$3 near out$1))) same (external$2 near (file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:49

S110	0	((web near (form$1 or field$1)) with (fill$3 or overlay$3 or (fill$3 near out$1))) same (external$2 near5 (file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:49
S111	81	((web near (form$1 or field$1)) with (fill$3 or overlay$3 or (fill$3 near out$1))) same ((file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S112	24	((web near (form$1 or field$1)) with (fill$3 or overlay$3 or (fill$3 near out$1))) with ((file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S113	0	((web near (form$1 or field$1)) with (fill$3 or overlay$3 or (fill$3 near out$1))) near ((file$1 or url$1 or referenc$3 or uri$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S114	106680	form$1 near process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:03
S115	831	(form$1 near process$3) near (device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:10
S116	75	S115 and (read$3 near data$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:05
S117	60	(form$1 near field$1) near (url$1 or referenc$3 or uri$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:13
S118	49	S117 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S119	73	(form$1 near field$1) near (url$1 or referenc$3 or uri$1 or sql or quer$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14

S120	13	(form$1 near field$1) near (sql or quer$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S121	6	S120 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S122	844202	form$1 with process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S123	195794	form$1 near2 process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S124	1075	form$1 near3 field$1 near2 process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S125	912	form$1 near3 field$1 near2 (populat$3 or fill$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:00
S126	118	web with (form$1 near3 field$1 near2 (populat$3 or fill$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:01
S127	38	(web with (form$1 near3 field$1 near2 (populat$3 or fill$3))) same (list$1 or database$1 or lexicon$1 or file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:03
S128	23	((web with (form$1 near3 field$1 near2 (populat$3 or fill$3))) same (list$1 or database$1 or lexicon$1 or file$1)) and (record$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:06
S129	3	((web with (form$1 near3 field$1 near2 (populat$3 or fill$3))) same (list$1 or database$1 or lexicon$1 or file$1)) and (record$1 near3 url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13

S13 0	1517	(execut$3 or retriev$3 or request$3 or fetch$3) with (URL$1) with (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:14
S13 1	720	(execut$3 or retriev$3 or request$3 or fetch$3) with ((URL$1) near3 (form$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:16
S13 2	319	S131 and automat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:15
S13 3	0	((execut$3 or retriev$3 or request$3 or fetch$3) with ((URL$1)) near3 (form$1) same ((auto or automatic$4) near5 (populat$3 or fill$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:18
S13 4	2	((retriev$3 or fetch$3 or obtain$3) with (content$1)) near3 (url$1 near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:55
S13 5	19521	form$1 with field$1 with (content$1 or imag$3 or audio$1 or video$1 or picture$1 or photograph$1 or photo$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 6	2250	form$1 with field$1 with (content$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 7	601	form$1 near3 field$1 near3 (content$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 8	21	(form$1 near3 field$1 near3 (content$1)) with (web or html or xml or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
S13 9	16	S138 and (URL$1 or URI$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03

S140	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:06
S141	1727353	form$1 same (process$3 or fill$3 or populat$3 or pre-populat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:07
S142	299	(web near form$1) near (process$3 or fill$3 or populat$3 or pre-populat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:07
S143	234	S142 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:08
S144	175	S143 and (separat$8 or external$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:09
S145	29334	(html or web or xml or xhtml) near form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:31
S146	1983	S145 and (form$1 near (process$3 or analy$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:24
S147	14	S145 and ((form$1 near field$1) near (process$3 or analy$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:32
S148	6	S147 and (URL$1 or URI$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:25
S149	444	S145 and ((detect$3 or identify$3 or recogniz$3) near (URL$1 or URI$1 or (external near file$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12

S15 0	0	S149 and ((form$1 near field$1) near (process$3 or analy$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:33
S15 1	444	S145 and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:34
S15 2	294	S151 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S15 3	0	S152 and "form of html"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:39
S15 4	0	S152 and 'form of htm'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:39
S15 5	0	S152 and "form of html"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 6	0	S152 and 'form of html'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 7	0	S152 and (form adj of adj html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 8	67	S152 and ((URL$1 or URI$1) near typ$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12
S15 9	0	S152 and ((URL$1 or URI$1) near (content near typ$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12

S16 0	3	S145 and ((detect$3 or identify$3 or recogniz$3 or determin$3) with (URL$1 or URI$1 or (external near file$1)) with (form$1 adj field$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:30
S16 1	6	S145 and ((detect$3 or identify$3 or recogniz$3 or determin$3) with ((form$1 adj field$1) with content$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:21
S16 2	6	S161 and (url$1 or uri$1 or link$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:28
S16 3	2	("6076734").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:29
S16 4	2	("5852434").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:29
S16 5	2	("5692073").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:30
S16 6	15	((identify$3 or recogniz$3 or determin$3) with ((form$1 adj field$1)) with content$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:38
S16 7	53	S152 and (off adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S16 8	331	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S16 9	272	S168 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19

S170	112	S169 and (form$1 near (field$1 or input$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:16
S171	4	S169 and (form$1 near (field$1 or input$1) near file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S172	4	S171 not ("form of")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S173	4	S171 not ('form of')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S174	131	(form$1 near (field$1 or input$1) near file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S175	79	S174 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:36
S176	45	S175 and (imag$3 or bitmap$1 or photo$1 or photograph$1 or picture$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:34
S177	0	S175 and (URL$1 near (imag$3 or bitmap$1 or photo$1 or photograph$1 or picture$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:32
S178	273	(recogniz$3 near URL$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:34
S179	0	(recogniz$3 near URL$1) with (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35

S18 0	0	(identify$3 near URL$1) with (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 1	0	(URL$1 near content$1) with (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 2	109	(URL$1) with (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 3	71	(URL$1) with (form$1 adj field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:36
S18 4	34	S183 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21
S18 5	1	(filename$1 or (file adj name$1)) near (form$1 adj field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:18
S18 6	1	(filename$1 or (file adj name$1)) near3 (form$1 adj field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:18
S18 7	8	(filename$1 or (file adj name$1)) with (form$1 adj field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:19
S18 8	182	(filename$1 or (file adj name$1) or reference$1) with (form$1 adj field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:19
S18 9	18	(filename$1 or (file adj name$1) or reference$1) near (form$1 adj field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21

S19 0	234	(form$1 adj field$1) near (process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21
S19 1	197	S190 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S19 2	1	("6185583").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:28
S19 3	17	("3974496" | "5546574" | "5704029" | "5758126" | "5920857").PN. OR ("6185583"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 4	37872	(form or data or input$1) near (check$3 or validat$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 5	34	(web or html) near (form or data or input$1) near (check$3 or validat$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 6	15	S195 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S19 7	8	S196 and attribute$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:33
S19 8	596	form$1 near validat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:33

S199	30	(US-20010050681-$ or US-20020023108-$ or US-20020059425-$ or US-20020103826-$ or US-20020111961-$ or US-20020156846-$ or US-20040030991-$ or US-20040068693-$ or US-20040078756-$ or US-20040205357-$ or US-20050183003-$ or US-20050216356-$).did. or (US-5761683-$ or US-5784562-$ or US-5835712-$ or US-5890175-$ or US-5929849-$ or US-6061694-$ or US-6247029-$ or US-6260039-$ or US-6456303-$ or US-6473892-$ or US-6490601-$ or US-6589290-$ or US-6651217-$ or US-6662340-$ or US-6732331-$ or US-6760748-$ or US-6879965-$ or US-6886136-$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/06 13:10
S200	5	S199 and (data adj items)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:11
S201	0	S199 and ((data adj items) same (graphic$1 or audio$1 or video$1 or multimedia$1 or multi-media$1 or (multi adj media$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:11
S202	14	S199 and ((data$1 or file$1) same (graphic$1 or audio$1 or video$1 or multimedia$1 or multi-media$1 or (multi adj media$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:12
S203	1	S199 and (((data$1 or file$1) near link$3) same (graphic$1 or audio$1 or video$1 or multimedia$1 or multi-media$1 or (multi adj media$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:13
S204	41046	(link$3 or hyper-link$3 or hyperlink$3 or (hyper adj link$3) or hotlink$3 or hot-link$3 or (hot adj link$3)) near (form$1 or field$1 or input$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:14
S205	6	S199 and ((link$3 or hyper-link$3 or hyperlink$3 or (hyper adj link$3) or hotlink$3 or hot-link$3 or (hot adj link$3)) near (form$1 or field$1 or input$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:18

S20 6	1733	((file adj name$1) or (path adj name$1)) near (form$1 or field$1 or input$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:20
S20 7	5	((file adj name$1) or (path adj name$1)) near ((html or web) near (form$1 or field$1 or input$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:38
S20 8	10838	(form$1 or field$1) near (file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:38
S20 9	308	((web or html) near (form$1 or (form$1 near field$1))) near (file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:43
S21 0	101	S209 and (populat$3 or fill$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:43
S21 1	6	S209 and (pre near (populat$3 or fill$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:45
S21 2	25797	(url$1 or uri$1 or (file adj name$1) or filename$1 or file-name$1 or path$1 or pathname$1 or (path adj name$1)) near (field$1 or input$1 or blank$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 3	2256	(url$1 or uri$1) near (field$1 or input$1 or blank$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 4	2122	(url$1) near (field$1 or input$1 or blank$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 5	848	(url$1) near (field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:48

S21 6	10	(url$1) near (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 7	0	(filename$1 or (file near path$1)) near (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 8	0	(filename$1 or (file near path$1) or (path near name$1)) near (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 9	24	(url$1) near (form$1 near input$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:57
S22 0	1	(bookmark$1) near (form$1 near .input$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:58
S22 1	695	(bookmark$1 near (file$1 or list$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:58
S22 2	35	(bookmark$1 near (file$1 or list$1)) near5 (request$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:59
S22 3	3	((bookmark$1 near (file$1 or list$1)) near5 (request$3)) same (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:02
S22 4	57	(overlay$3 same (form$1 near field$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:07
S22 5	3813	(personal$4 near (database$1 or profile$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:07

S22 6	477	(personal$4 near (database$1 or profile$1)) same (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S22 7	0	(personal$4 near (database$1 or profile$1)) same (form$1) same ((auto or automatically) near fill$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:08
S22 8	27	(personal$4 near (database$1 or profile$1)) same (form$1) and ((auto or automatically) near fill$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:17
S22 9	23	S228 and (photo$1 or photograph$1 or imag$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:20
S23 0	20	(process$3 near url$1 near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:24
S23 1	0	(process$3 near url$1 near form$1) same (audio$1 or video$1 or pdf or postscript or gif or jpg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S23 2	15	(process$3 near url$1 near form$1) and (audio$1 or video$1 or pdf or postscript or gif or jpg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S23 3	479	(personal$5 near (database$1 or profile$1)) same (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S23 4	5	(personal$5 near (database$1 or profile$1)) same (form$1 near input$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:31
S23 5	1783	(personaliz$3 near5 (card$1 or id$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32

S236	1441	(personaliz$3 near3 (card$1 or id$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S237	70	(personaliz$3 near3 (card$1 or id$1)) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S238	12	(personaliz$3 near3 (card$1 or id$1)) same web same photo$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:35
S239	204536	(form$1 with link$3 or hyperlink$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S240	195060	(form$1 with (link$3 or hyperlink$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S241	920	(form$1 with (external$2 near (link$3 or hyperlink$3 or reference$1 or file$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:37
S242	16	(((web or html) near form$1) with (external$2 near (link$3 or hyperlink$3 or reference$1 or file$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:38
S243	0	(((web or html) near field$1) with (external$2 near (link$3 or hyperlink$3 or reference$1 or file$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:38
S244	0	(((web or html) near input$4) with (external$2 near (link$3 or hyperlink$3 or reference$1 or file$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:39
S245	21	(((web or html) near5 form$1) with (external$2 near (link$3 or hyperlink$3 or reference$1 or file$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:07

S24 6	736	((web or html) near5 (form$1 near3 field$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:08
S24 7	16	((web or html) near5 (form$1 near3 field$1)) near5 (content$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:25
S24 8	9	((web or html) near5 (form$1 near3 field$1)) near5 (imag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S24 9	0	((web or html) near5 (form$1 near3 field$1)) near5 (photo$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S25 0	1	((web or html) near5 (form$1 near3 field$1)) near5 (pdf$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S25 1	0	((web or html) near5 (form$1 near3 field$1)) near5 (gif)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 2	0	((web or html) near5 (form$1 near3 field$1)) near5 (jpg or jpeg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 3	0	((web or html) near5 (form$1 near3 field$1)) near5 (ps)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 4	0	((web or html) near5 (form$1 near3 field$1)) near5 (audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 5	0	((web or html) near5 (form$1 near3 field$1)) near5 (video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29

S25 6	0	((web or html) near5 (form$1 near3 field$1)) near5 (clip$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 7	21	((web or html) near5 (form$1 near3 field$1)) with (imag$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:30
S25 8	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:05
S25 9	1	S258 and form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:07
S26 0	3	overlay$3 near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:09
S26 1	34	(populat$3) near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:13
S26 2	59	(populat$3) near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near3 form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:15
S26 3	40	S262 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:02
S26 4	57063	((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near3 form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:15
S26 5	820	S264 and (url$1 near5 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:16

S26 6	7	S264 and (url$1 near5 field$1 near list$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:18
S26 7	2133	S264 and (url$1 near3 (list$3 or fil$3 or bookmark$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:18
S26 8	629	S267 and ((recogniz$3 or detect$3 or identify$3) near5 (url$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:20
S26 9	55	S267 and (((recogniz$3 or detect$3 or identify$3) near5 (url$1)) with (form$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:32
S27 0	495	S267 and (remote$2 near3 access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:33
S27 1	79	S267 and ((remote$2 near3 access$3) near5 (list$1 or file$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:46
S27 2	0	sibersystems.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:48
S27 3	1592	(determin$3 or deduc$3) near3 (field$1 near3 typ$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:48
S27 4	20	(determin$3 or deduc$3) near3 (form$1 near3 field$1 near3 typ$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 5	2754	(file$1 or url$1) near upload$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55

S27 6	77	(url$1) near upload$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 7	12	S276 and (form$1 near3 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:01
S27 8	112	url$1 near3 (form$1 near3 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:01
S27 9	72	S278 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26
S28 0	31	(US-20010050681-$ or US-20020023108-$ or US-20020059425-$ or US-20020103826-$ or US-20020111961-$ or US-20020156846-$ or US-20040030991-$ or US-20040068693-$ or US-20040078756-$ or US-20040205357-$ or US-20050183003-$ or US-20050216356-$).did. or (US-5761683-$ or US-5784562-$ or US-5835712-$ or US-5890175-$ or US-5929849-$ or US-6061694-$ or US-6247029-$ or US-6260039-$ or US-6456303-$ or US-6473892-$ or US-6490601-$ or US-6589290-$ or US-6651217-$ or US-6662340-$ or US-6732331-$ or US-6760748-$ or US-6879965-$ or US-6886136-$ or US-6658662-$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/07 09:20
S28 1	4	S280 and (form$1 with field$1 with url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:24
S28 2	1	S280 and (form$1 with field$1 with value$1 with url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26

S28 3	58	(form$1 with field$1 with value$1 with url$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26
S28 4	41	S283 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52
S28 5	32	(US-20010050681-$ or US-20020023108-$ or US-20020059425-$ or US-20020103826-$ or US-20020111961-$ or US-20020156846-$ or US-20040030991-$ or US-20040068693-$ or US-20040078756-$ or US-20040205357-$ or US-20050183003-$ or US-20050216356-$ or US-20020120714-$).did. or (US-5761683-$ or US-5784562-$ or US-5835712-$ or US-5890175-$ or US-5929849-$ or US-6061694-$ or US-6247029-$ or US-6260039-$ or US-6456303-$ or US-6473892-$ or US-6490601-$ or US-6589290-$ or US-6651217-$ or US-6662340-$ or US-6732331-$ or US-6760748-$ or US-6879965-$ or US-6886136-$ or US-6658662-$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/07 09:38
S28 6	20	S285 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:38
S28 7	7	S285 and layout$1 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:38
S28 8	6	S285 and document$1 and layout$1 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:51
S28 9	2961	field$1 near3 data$1 near3 file$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:51

S29 0	0	form$1 near 3field$1 near3 data$1 near3 (file$1 or list$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52
S29 1	120	form$1 near3 field$1 near3 data$1 near3 (file$1 or list$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:53
S29 2	79	S291 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52
S29 3	8	form$1 near3 field$1 near3 url$1 near3 (file$1 or list$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:00
S29 4	2	form$1 near3 field$1 near3 url$1 near3 (file$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:01
S29 5	3	form$1 near5 field$1 near5 url$1 near5 (file$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:03
S29 6	4	(form$1 near5 field$1) with url$1 with (file$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:04
S29 7	6	(form$1 with field$1) with url$1 with (file$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:06
S29 8	6	(form$1 with field$1) with url$1 with (file$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:07
S29 9	34	(form$1 with field$1) same url$1 same (file$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:07

S300	23	(form$1 near3 field$1) same url$1 same (file$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:15
S301	2573	input with (form$1 near3 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:16
S302	21	input with (form$1 near3 field$1) with url$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:21
S303	3	overlay$3 with (form$1 near3 field$1) with url$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:22
S304	24	overlay$3 with (form$1 near3 field$1) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:39
S305	280743	form$1 near3 process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S306	196677	form$1 near2 process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S307	1174	S306 and ((overrid$3 or swap$4 or exchang$3 or replac$3) near3 content$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:41
S308	112	S307 and profil$3 and templat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:42
S309	111	S307 and profil$3 and templat$3 and (remote or online or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:43

S310	111	S309 and (placehold$3 or field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:43
S311	13	S309 and (placehold$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:44
S312	122	((web or html) near3 edit$3) same (online or on-line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S313	30	S312 and profil$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S314	12	S313 and resume$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S315	9	S313 and resume$1 and URL$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S316	2	S313 and resume$1 and multimedia$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S317	20	S312 and resume$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:51
S318	12	S312 and resume$1 and profil$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:52
S319	12092	(profil$3 or templat$3 or model$1) and (custom$5) and (pars$3) and (document$1 or page$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:54

S32 0	8252	S319 and dynamic$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:54
S32 1	6	S319 and dynamic$4 and xmlc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:55
S32 2	9	xmlc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:56
S32 3	3323	templat$3 and profile$1 and layout$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:56
S32 4	289	templat$3 and profile$1 and layout$1 and (stylesheet$3 or (style adj sheet$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:58
S32 5	282	templat$3 and profile$1 and layout$1 and (stylesheet$3 or (style adj sheet$3)) and (field$1 or placeholder$1 or blank$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:03
S32 6	3437	tag$4 near defin$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:04
S32 7	2	("6727925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:05
S32 8	1	S327 and (table$1 or list$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07
S32 9	0	S327 and (table$1 or list$1) and url$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07

S33 0	0	S327 and (table$1 or list$1) and ftp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07
S33 1	1	S327 and (table$1 or list$1) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 2	1326	dhtml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 3	254	dhtml same form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 4	13	dhtml same form$1 same (profile$1 or template$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 5	180006	form$1 same (profile$1 or template$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 6	97744	form$1 with (profile$1 or template$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 7	444	((web or html) near form$1) with (profile$1 or template$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:16
S33 8	444	S337 and 2ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:16
S33 9	317	S337 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:30

S34 0	22016	(form$1 with field$1 with (value$1 or input$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:28
S34 1	11787	((form$1 near5 field$1) with (value$1 or input$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:28
S34 2	1147	((form$1 near5 field$1) with ((value$1 or input$1 or data) with (list$1 or file$1 or table$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:29
S34 3	66	((((web or html) near5 form$1) near5 field$1) with ((value$1 or input$1 or data) with (list$1 or file$1 or table$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:29
S34 4	40	S343 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:30
S34 5	11	("4595980" | "5666502" | "5794259" | "6088700" | "6182099" | "6192380" | "6208339" | "6421693").PN. OR ("6651217").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/07 12:39